

**POSTER 3: CCMA - Climate modelling tools, impact studies and adaptation strategies**

**Climate change 2050 in two cities in different climate zones: Hamburg and Jakarta. Simulations with COSMO-CLM+TEB.**

Kristina Trusilova<sup>1</sup>, Klaus Keuler<sup>2</sup>

<sup>1</sup>Deutscher Wetterdienst, Germany; <sup>2</sup>BTU Cottbus, Germany;  
[kristina.trusilova@dwd.de](mailto:kristina.trusilova@dwd.de)

**Wintertime urban heat island modified by global climate change over Japan**

Masayuki Hara<sup>1</sup>, Sachiho A. Adachi<sup>2</sup>, Hiroyuki Kusaka<sup>3</sup>, Xieyao Ma<sup>4</sup>, Fujio Kimura<sup>4</sup>

<sup>1</sup>Center for Environmental Science in Saitama, Japan; <sup>2</sup>Advanced Institute for Computational Science, RIKEN; <sup>3</sup>Center for Computational Sciences, University of Tsukuba;

<sup>4</sup>Japan Agency for Marine-Earth Science and Technology;  
[hara.masayuki@gmail.com](mailto:hara.masayuki@gmail.com)

**Numerical Simulation on Regional Climate Change Accompanying the Rapid Urbanization of Greater Ho Chi Minh City Metropolitan over the Past 20 Years**

Quang Van Doan, Hiroyuki Kusaka

University of Tsukuba, Japan;  
[doanquangvan@gmail.com](mailto:doanquangvan@gmail.com)

**Simulations of Moscow agglomeration climate with COSMO-CLM regional model, coupled with TEB urban scheme, for present and future climate**

Mikhail Varentsov<sup>1,2</sup>, Pavel Konstantinov<sup>1</sup>, Timofey Samsonov<sup>3</sup>, Kristina Trusilova<sup>4</sup>

<sup>1</sup>Lomonosov Moscow State University, Faculty of geography, Department of meteorology and climatology, Moscow, Russia; <sup>2</sup>A.M. Obukhov Institute of Atmospheric Physics, Russian Academy of Sciences, Moscow, Russia; <sup>3</sup>Lomonosov Moscow State University, Faculty of geography, Department of Cartography and Geoinformatics, , Moscow, Russia; <sup>4</sup>Deutscher Wetterdienst, Department of Climate and Environment Consultancy;

[mvar91@gmail.com](mailto:mvar91@gmail.com)

**Régionalisation des paramètres climatiques. Cas de la ville de Annaba**

Lahbassi OUERDACHI, Hamouda BOUTAGHANE, Mehdi KEBLOUTI, Sabri BRHAIL

Badji Mokhtar Annaba University - Algeria, Algeria;  
[ouerdach@univ-annaba.org](mailto:ouerdach@univ-annaba.org)

**CLIMATE WARMING IMPACT ON THE FLOOD DISCHARGES TIME IN SOME TIGRIS RIVER TRIBUTARIES IN IRAQ**

Thair Mahmood Al-Taiee

Mosul University, Iraq;  
[thair\\_altaiee@yahoo.com](mailto:thair_altaiee@yahoo.com)

**Future climate of Brussels and Paris for the 2050s under the A1B scenario**

Rafiq Hamdi<sup>1</sup>, Olivier Giot<sup>2</sup>, Rozemien De Troch<sup>1</sup>, Alex Deckmyn<sup>1</sup>, Piet Termonia<sup>1</sup>

<sup>1</sup>Royal Meteorological Institute of Belgium, Belgium; <sup>2</sup>Plant and Vegetation Ecology (PLECO), University of Antwerp, Antwerp, Belgium;  
[rafiq.hamdi@meteo.be](mailto:rafiq.hamdi@meteo.be)

**Future air quality of the Brussels Capital Region for the 2050s under A1B emission scenario**

Rozemien De Troch<sup>1</sup>, Andy Delcloo<sup>1</sup>, Rafiq Hamdi<sup>1</sup>, Olivier Giot<sup>2</sup>, Alex Deckmyn<sup>1</sup>, Piet Termonia<sup>1</sup>

<sup>1</sup>Royal Meteorological Institute of Belgium, Belgium; <sup>2</sup>Plant and Vegetation Ecology (PLECO), University of Antwerp, Antwerp, Belgium; [rafiq.hamdi@meteo.be](mailto:rafiq.hamdi@meteo.be)

**Mitigating the impact of environmental degradation on climatic change and global warming**

William Kayemba<sup>1</sup>, Skyler Jayden Dembe<sup>1</sup>, Simon Peter Ssemambo<sup>2</sup>, Caroline Muyiyi<sup>3</sup>

<sup>1</sup>Green World Uganda (GWU), Uganda; <sup>2</sup>Crusade for Environmental Awareness Agency (CEAA))-Mubende, Uganda; <sup>3</sup>Faculty of Social Sciences, Makerere University, Kampala, Uganda;

[jskyler@mail.com](mailto:jskyler@mail.com)

**Projection of the rural and urban human thermal comfort in the Netherlands for 2050**

Roy Molenaar, Bert Heusinkveld, Gert-Jan Steeneveld

Wageningen University, Netherlands, The Netherlands;  
[gert-jan.steeneveld@wur.nl](mailto:gert-jan.steeneveld@wur.nl)

**Long-term variability of suburban energy and water exchanges in Vancouver**

Tom Valteri Kokkonen<sup>1</sup>, Sue Grimmond<sup>2</sup>, Helen Ward<sup>2</sup>, Andreas Christen<sup>3</sup>, Tim Oke<sup>3</sup>, Manuela Hayn<sup>3</sup>, Leena Järvi<sup>1</sup>

<sup>1</sup>University of Helsinki, Finland; <sup>2</sup>University of Reading, United Kingdom; <sup>3</sup>University of British Columbia, Canada;  
[tom.kokkonen@helsinki.fi](mailto:tom.kokkonen@helsinki.fi)

**Contribution of Urbanization and Future Climate Change to Urban Heat Island: Case Study of a Severe Heat Wave over Beijing, China**

Long Yang<sup>1,2,3</sup>, Dev Niyogi<sup>2</sup>, James Smith<sup>3</sup>, Mukul Tewari<sup>4</sup>, Daniel Aliaga<sup>2</sup>, Fei Chen<sup>4</sup>, Fuqiang Tian<sup>1</sup>, Guangheng Ni<sup>1</sup>

<sup>1</sup>Tsinghua University; <sup>2</sup>Purdue University; <sup>3</sup>Princeton University; <sup>4</sup>National Center for Atmospheric Research;

[yanglong86123@hotmail.com](mailto:yanglong86123@hotmail.com)

**Monitoring of Air pollution and black cloud influence on Aerosol optical properties over Nile Delta based on Moderate Resolution Imaging Spectroradiometer (MODIS) and climatic data from 2002-2012**

Hossam Ismael

Assuit University, Faculty od Arts, Geography department, Egypt;

[hosam.ismael@artnv.au.edu.eg](mailto:hosam.ismael@artnv.au.edu.eg)

**Vulnerability and Adaptation in the Ukrainian Cities under Climate Change**

Olga Shevchenko, Sergiy Snizhko

Kiev Shevchenko University, Ukraine;

[olenyatko@meta.ua](mailto:olenyatko@meta.ua)

**Warming of the annual minimum temperatures of rural and urban stations in the French Mediterranean region (1951-2010)**

Annick Douguédroit<sup>1</sup>, Sébastien Bridier<sup>2</sup>

<sup>1</sup>Aix-Marseille University, UMR ESPACE 7300; <sup>2</sup>Aix-Marseille University, UMR LPD 151;

[annick.douguedroit@univ-amu.fr](mailto:annick.douguedroit@univ-amu.fr)

**The decadal projection of the Belgian urban heat island under changing climate and land use**

Julie Berckmans<sup>1,2</sup>, Rafiq Hamdi<sup>1</sup>

<sup>1</sup>Royal Meteorological Institute of Belgium; <sup>2</sup>University of Antwerp, Belgium;

[julie.berckmans@meteo.be](mailto:julie.berckmans@meteo.be)

**Environmental Impacts of Wind Power in Egypt**

Mohamed Mohamed Hefny Salim

Aswan University, Egypt;

[moh.hefny@yahoo.com](mailto:moh.hefny@yahoo.com)

**The contribution of urbanization to recent extreme heat events and white roof mitigation strategy in the Beijing–Tianjin–Hebei metropolitan area**

Mingna Wang<sup>1,2</sup>

<sup>1</sup>Key Laboratory of Computational Geodynamics, Chinese Academy of Sciences; <sup>2</sup>College of Earth Science, University of Chinese Academy of Sciences;

[wangmn@ucas.ac.cn](mailto:wangmn@ucas.ac.cn)

**Study on measures for adaptation to future climate change in a Japanese major city Nagoya using pseudo global warming downscaling method**

Youhei Ymakawa<sup>1</sup>, Yukihiro Kikegawa<sup>1</sup>, Shohei Aoki<sup>2</sup>, Hiroaki Kondo<sup>3</sup>, Yuya Takane<sup>3</sup>, Masayuki Hara<sup>4</sup>, Satoru Iizuka<sup>5</sup>

<sup>1</sup>Meisei University, Japan; <sup>2</sup>Daidan Corporation, Japan; <sup>3</sup>National Institute of Advanced Industrial Science and Technology, Japan; <sup>4</sup>Center for Environmental Science in Saitama, Japan; <sup>5</sup>Nagoya University, Japan;

[14mb003@stu.meisei-u.ac.jp](mailto:14mb003@stu.meisei-u.ac.jp)

**Assessment of landscape design to fight against Urban Heat Island effects through various combinations of heat mitigation strategies**

T. F. Zhao, K. F. Fong

City University of Hong Kong, Hong Kong S.A.R. (China);

[tfzhao3-c@my.cityu.edu.hk](mailto:tfzhao3-c@my.cityu.edu.hk)

**New funding programs related to urban climate and urban adaptation**

Paul Dostal, Baumgärtner Andreas

DLR - German Aerospace Center, Projectmanagement Agency, Germany;

[paul.dostal@dlr.de](mailto:paul.dostal@dlr.de)

**Adapting cities to climate Change : a systemic modelling approach**

Valéry Masson<sup>1</sup>, Aude Lemonsu<sup>1</sup>, Marion Bonhomme<sup>2</sup>, Geneviève Bretagne<sup>3</sup>, Cécile de Munck<sup>1</sup>, Stéphane Hallegatte<sup>4</sup>, Julia Hidalgo<sup>6</sup>, Thomas Houet<sup>6</sup>, Nathalie Long<sup>5</sup>, Colette Marchadier<sup>1</sup>, Marie-Pierre Moine<sup>7</sup>, Laurence Nolergues<sup>8</sup>, Grégoire Pigeon<sup>1</sup>, Jean-Luc Salagnac<sup>9</sup>, Vincent Viguié<sup>4</sup>, Kamel Zibouche<sup>9</sup>

<sup>1</sup>Météo-France, France; <sup>2</sup>Laboratory of Research in Architecture of Toulouse; <sup>3</sup>Toulouse Agglomeration Urban Planning Agency; <sup>4</sup>International Centre for Research on environment and Development; <sup>5</sup>University of La Rochelle, France; <sup>6</sup>University Jean Jaures, Toulouse; <sup>7</sup>CERFACS; <sup>8</sup>Paris region Urban Planning Agency; <sup>9</sup>Scientific and Technical Center for Buildings (CSTB);

[valery.masson@meteo.fr](mailto:valery.masson@meteo.fr)

**POSTER 9: CCMA - UHI mitigation strategies**

**Impact of urban expansion and densification on local climate**

Carlo Agapay Jamandre<sup>1,2,3</sup>, Melissa Hart<sup>1,2,3</sup>, Andrew Pitman<sup>1,2,3</sup>

<sup>1</sup>Australian Research Council Centre of Excellence for Climate System Science; <sup>2</sup>Climate Change Research Centre; <sup>3</sup>University of New South Wales, Australia;  
[c.jamandre@student.unsw.edu.au](mailto:c.jamandre@student.unsw.edu.au)

**Moderation of summertime heat-island phenomena via modification of the urban form in the Tokyo metropolitan area**

Sachiho A. Adachi<sup>1</sup>, Fujio Kimura<sup>2</sup>, Hiroyuki Kusaka<sup>3</sup>, Michael G. Duda<sup>4</sup>, Yoshiaki Yamagata<sup>5</sup>, Hajime Seya<sup>6</sup>, Kumiko Nakamichi<sup>7</sup>, Toshinori Aoyagi<sup>8</sup>

<sup>1</sup>Advanced Institute for Computational Science, RIKEN, Japan; <sup>2</sup>Japan Agency for Marine-Earth Science and Technology, Japan; <sup>3</sup>University of Tsukuba, Japan; <sup>4</sup>National Center for Atmospheric Research, USA; <sup>5</sup>National Institute for Environmental Studies, Japan; <sup>6</sup>Hiroshima University, Japan; <sup>7</sup>Tokyo Institute of Technology, Japan; <sup>8</sup>Meteorological Research Institute, Japan;  
[sachiho.adachi@riken.jp](mailto:sachiho.adachi@riken.jp)

**Modeling NOx and benzene emissions and exposure from road traffic and domestic heaters in street canyons: a case-study in Verona, Italy**

Marco Schiavon<sup>1</sup>, Martina Redivo<sup>1</sup>, Gianluca Antonacci<sup>2</sup>, Elena Cristina Rada<sup>1</sup>, Marco Ragazzi<sup>1</sup>, Dino Zardi<sup>1</sup>, Lorenzo Giovannini<sup>1</sup>

<sup>1</sup>University of Trento, Italy; <sup>2</sup>CISMA srl;  
[lorenzo.giovannini@unitn.it](mailto:lorenzo.giovannini@unitn.it)

**Mitigation of Urban Heat Island of Prague**

Michal Zak<sup>1,2</sup>, Pavel Zahradnicek<sup>1</sup>, Maria Kazmukova<sup>3</sup>, Dominik Ales<sup>3</sup>

<sup>1</sup>Czech Hydrometeorological Institute, Czech Republic; <sup>2</sup>Faculty of Mathematics and Physics, Charles University; <sup>3</sup>Prague Institute of Planning of Development, Czech Republic;  
[xamicus@gmail.com](mailto:xamicus@gmail.com)

**POSTER 19: CCMA - UHI mitigation strategies based on vegetation**

**Optimizing urban irrigation schemes for a trade-off between energy and water consumption**

Zhihua Wang, Jiachuan Yang  
Arizona State University, United States of America;  
[zhwang@asu.edu](mailto:zhwang@asu.edu)

**Does urban vegetation enhance carbon sequestration?**

Erik Velasco<sup>1</sup>, Matthias Roth<sup>2</sup>, Leslie Norford<sup>1</sup>, Luisa Molina T.<sup>3</sup>  
<sup>1</sup>Singapore-MIT Alliance for Research and Technology, Singapore; <sup>2</sup>National University of Singapore, Singapore; <sup>3</sup>Molina Center for Energy and the Environment, USA;  
[evelasco@smart.mit.edu](mailto:evelasco@smart.mit.edu)

**Characterization of the behavior of watered urban materials**

Martin Hendel<sup>1,2,3</sup>, Arnaud Grados<sup>2</sup>, Morgane Colombe<sup>3</sup>, Youssef Diab<sup>3</sup>, Laurent Royon<sup>2</sup>  
<sup>1</sup>Paris City Hall, Water and Sanitation Department, France; <sup>2</sup>Univ Paris Diderot, Paris Sorbonne Cité, MSC, UMR 7057, CNRS; <sup>3</sup>Université Paris Est, EIVP, Lab'Urba, EA 3482;  
[martin.hendel@paris.fr](mailto:martin.hendel@paris.fr)

**Research of Water Body in Improving Outdoor Thermal Environment in Hot-humid Region, China—The Example of Lingnan Garden**

Sihan XUE, Yiqiang XIAO  
South China University of Technology, China;  
[sallyxsh@163.com](mailto:sallyxsh@163.com)

**Analysing green roof and albedo effects on thermal urban climate in support of climate adaptation to summer heat conditions**

Saskia Buchholz, Meinolf Kossmann  
Deutscher Wetterdienst, Germany;  
[saskia.buchholz@dwd.de](mailto:saskia.buchholz@dwd.de)

**The influence of different tree species on outdoor thermal comfort in the tropical urban environment**

Ling KONG, Edward NG  
The Chinese University of Hong Kong, Hong Kong S.A.R. (China);  
[kongling@cuhk.edu.hk](mailto:kongling@cuhk.edu.hk)

**Towards “green” streets – climate change adaptation and mitigation using the suburban street; a case study from Western Sydney.**

Libby Gallagher  
University of Sydney, Australia;  
[libby@gallagherstudio.com.au](mailto:libby@gallagherstudio.com.au)

**Urban phenological maps: effective tools for stakeholders, planners and allergists**

Luciano Massetti<sup>1</sup>, Martina Petralli<sup>2,3</sup>, Giada Brandani<sup>2,3</sup>, Alessandro Messeri<sup>2,3</sup>, Marco Napoli<sup>2,3</sup>, Simone Orlandini<sup>2,3</sup>  
<sup>1</sup>Institute of Biometeorology - National Research Council, Italy; <sup>2</sup>Interdepartmental Centre of Bioclimatology - University of Florence; <sup>3</sup>Department of Agrifood Production and Environmental Sciences - University of Florence;  
[l.massetti@ibimet.cnr.it](mailto:l.massetti@ibimet.cnr.it)

**Trait-based species selection for urban forests under climate change scenario**

Elham Kiyani<sup>1</sup>, Seyed Mohammad Jafari<sup>2</sup>  
<sup>1</sup>International Desert research Center, University of Tehran, Iran, Islamic Republic of; <sup>2</sup>School of Biology, University of Tehran, Iran, Islamic Republic of;  
[semo.jafari@yahoo.com](mailto:semo.jafari@yahoo.com)

**The impact of urban growth and mitigation measures on urban temperatures in Hamburg, Germany**

David Grawe, Ronny Petrik, Marita Boettcher, K. Heinke Schlünzen  
University of Hamburg, Germany;  
[david.grawe@zmaw.de](mailto:david.grawe@zmaw.de)

**Examination of the interrelation between woody vegetation and urban rainwater management: stormwater runoff decrease as ecosystem service of trees in Szeged (Hungary)**

Agnes Gulyas, Marton Kiss, Reka Pogacsas, Lilla Berkes  
University of Szeged, Hungary;  
[agulyas@geo.u-szeged.hu](mailto:agulyas@geo.u-szeged.hu)

**Evaluation of greening and highly reflective materials from three perspectives**

Akashi Mochida<sup>1</sup>, Taiki Uchida<sup>1</sup>, Saori Yumino<sup>1</sup>, Kiyoshi Sasaki<sup>2</sup>, Hikaru Kobayashi<sup>1</sup>  
<sup>1</sup>Tohoku University, Japan; <sup>2</sup>Shimizu Corporation, Japan;  
[yumino@sabine.pln.archi.tohoku.ac.jp](mailto:yumino@sabine.pln.archi.tohoku.ac.jp)

**Evaluation of cool/green roof in mitigating urban heat island in a tropical city, Singapore**

Xian-Xiang Li<sup>1</sup>, Leslie Norford<sup>2</sup>

<sup>1</sup>Singapore-MIT Alliance for Research and Technology, Singapore; <sup>2</sup>Department of Architecture, Massachusetts Institute of Technology;  
[lixx@smart.mit.edu](mailto:lixx@smart.mit.edu)